*Authorized Distributor:*

OMNI®

*Electrical & Lighting*

# Lighting Catalog

2012-2013


YATAI INTERNATIONAL CORPORATION

Address: Yatai Tower, 2673 R. Alunan Street, Interior Road
Malate Manila, Philippines
Tel.No.:(02)567.0000 Fax No.:(02)567.2342
www.omni.net.ph

*"Total Customer Satisfaction"*

OMNI®
Electrical & Lighting

## Vision Statement

For OMNI to be the most trusted Filipino Brand worldwide, as the leading provider of safe, innovative, eco-friendly and superior lighting and wiring products.

## Mission Statement

With the consumer's safety and our products' quality as our highest priority, our company and its people will deliver world-class Omni products and services to Filipinos and other countries through innovation, state-of-the-art manufacturing facilities and superior workmanship.

## Core Values

OUR ATTITUDE. A strong foundation built on TRUST, ACCOUNTABILITY, and INTEGRITY is the core of the company's identity. We firmly believe that embodying these attitudes is the best and only way to deliver our promise of excellence through service and product innovation to our customers, our people, and the community.

OUR PEOPLE. We harness and develop the talent and skills and acknowledge the individuality of our people. The uniqueness and presence of each one is aimed at ensuring that the team operates on a high level of TEAMWORK and COMPETENCE. We do things the way things should be done with an overwhelming sense of accountability, a deeply rooted notion of integrity, and a delicate care for customer trust that we never take for granted.

OUR PRODUCTS AND SERVICES. The needs of our customers often dictate the development of our products and services. Our commitment to maintain the highest standards of SAFETY and EASE-OF-USE in all our products energizes us to CREATE, INNOVATE, and produce products and services that improve and make life better for our customers.

OUR CUSTOMERS. Every product we deliver is a renewal of our COMMITMENT to our customers. We are CONFIDENT that our products satisfy their needs and give much more value than what is expected. We sincerely thank our customers for making us their preferred brand. Their LOYALTY to our brand combined with our PASSION to satisfy their every need is the primary reason we continue to create, innovate, and provide superior products and services.

# INTRODUCTION

Designed for the discerning consumer in the new millennium, OMNI electrical and lighting products conform to the global concept of sustainable development. OMNI quality products are manufactured under ISO9002 systems. Production is supervised by highly competent technical personnel equipped with international know-how and steeped in strict quality control mind set, churned out with the state-of-the-art technology, they are energy efficient and environment friendly yet very affordable.

OMNI product lines fulfil the safety and performance requirements of the Philippine National Standards (PNS) which conforms with the standards set by international Electro-technical Commission (IEC). These products not only passed the mandatory testing of the Bureau of Products Standards (BPS) for PS and ICC Quality Mark Certification, but also bear the stamp of approval/ quality of the other countries (i.e. CE, GS, TUV, etc.)

Quality is the major thrust of the company, for its products and customer satisfaction is considered its highest point of achievement. It is through these efforts and objectives that the company continues to gain support and patronage through a deep commitment to strengthen relationship and cooperation with existing and future customers.

Through the years of research and development, OMNI is proven to be of high quality and accepted by different level of end-users. OMNI is heading for higher goals as it strives to pursue innovation and aims to deliver excellent quality products to serve our valued clients.

The Philippines' 100 Most Powerful and Admired Brands

Asia-Pacific Excellence Awards

Philippine Marketing Excellence Awards

Family Product & Services Excellence Awards

National Shopper's Choice Awards

Seal of Product Quality

Star Brand Awards

Consumers Choice Awards

OMNI electrical & lighting

# Manufacturing Process

## State-of-the-Art QUALITY CONTROL

# FACTS ABOUT LIGHTING

OMNI

## CIE Color System






## Terminologies

EFFICACY
A measure to compare light output to energy output; the quotient of the total luminous emitted divided by the total lamp power input. it is expressed in lumens per watt.

LIGHT OUTPUT
The rate at which light is emitted by a lamp or light source expressed in lumens.

COLOR TEMPERATURE
Color temperature is a simplified way to characterize the spectral properties of a light source. Low color temperature implies warmer (more yellow/red) light while high color temperature implies a colder (more blue) light. Daylight has a rather low color temperature near dawn, and a higher one during the day. Therefore it can be useful to install an electrical lighting system that can supply cooler light to supplement daylight when needed, and fill in with warmer light at night. This also correlates with human feelings towards the warm colors of light coming from candles or an open fireplace at night. Standard unit for color temperature is **Kelvin (K)**.

COLOR RENDERING INDEX (CRI)
is a quantitative measure of the ability of a light source to reproduce the color of various objects faithfully in comparison with an ideal or natural light source.

AVERAGE LIFE EXPECTANCY
The expected time in hours at which half of a large group of lamps have failed under standard test condition.

## Symbol Meaning

- CE CONFORMITE EUROPEENNE
- RoHS Restriction of Hazardous Substances
- SMT PCB SMT Technology
- EMC Electro Magnetic Compatibility
- PTC Delay Start with PTC thermistor




## SU Pinlight

Php 84.75

**Warm white**

SU-05W-WW
SU-07W-WW
SU-09W-WW

**Daylight**

SU-05W-DL
SU-07W-DL
SU-09W-DL
SU-11W-DL




| Model | Voltage | CCT | Watt | Ave. Life (H) | Pcs/ctn |
|---|---|---|---|---|---|
| SU-05W-WW | 230V 60Hz | 2700K | 5W | 8000 | 200 |
| SU-07W-WW | 230V 60Hz | 2700K | 7W | 8000 | 200 |
| SU-09W-WW | 230V 60Hz | 2700K | 9W | 8000 | 200 |
| SU-05W-DL | 230V 60Hz | 6500K | 5W | 8000 | 200 |
| SU-07W-DL | 230V 60Hz | 6500K | 7W | 8000 | 200 |
| SU-09W-DL | 230V 60Hz | 6500K | 9W | 8000 | 200 |
| SU-11W-DL | 230V 60Hz | 6500K | 11W | 8000 | 200 |




## DU Pinlight

**Warm white**

DU-10W-WW Php 129.75
DU-13W-WW Php 129.75
DU-18W-WW Php 149.75

**Daylight**

DU-10W-DL Php 129.75
DU-13W-DL Php 129.75
DU-18W-DL Php 149.75
DU-26W-DL Php 149.75




| Model | Voltage | CCT | Watt | Ave. Life (H) | Pcs/ctn |
|---|---|---|---|---|---|
| DU-10W-WW | 230V 60Hz | 2700K | 10W | 8000 | 100 |
| DU-13W-WW | 230V 60Hz | 2700K | 13W | 8000 | 100 |
| DU-18W-WW | 230V 60Hz | 2700K | 18W | 8000 | 100 |
| DU-10W-DL | 230V 60Hz | 6500K | 10W | 8000 | 100 |
| DU-13W-DL | 230V 60Hz | 6500K | 13W | 8000 | 100 |
| DU-18W-DL | 230V 60Hz | 6500K | 18W | 8000 | 100 |
| DU-26W-DL | 230V 60Hz | 6500K | 26W | 8000 | 100 |

## DC 12V Lamp(2U&3U)

Php 169.75

**Daylight**

EL 2U-05W-12V
EL 2U-13W-12V




| Model | Voltage | CCT | Watt | Lm | Ave. Life (H) | Pcs/ctn |
|---|---|---|---|---|---|---|
| EL 2U-05W-12V | 12V | 6500K | 5W | 225 | 3000 | 50 |
| EL 2U-13W-12V | 12V | 6500K | 13W | 650 | 3000 | 50 |

## DC 12V Lamp(2U&3U)

Php 199.75

**Daylight**

EL 3U-18W-12V




| Model | Voltage | CCT | Watt | Lm | Ave. Life (H) | Pcs/ctn |
|---|---|---|---|---|---|---|
| EL 3U-18W-12V | 12V | 6500K | 18W | 900 | 3000 | 50 |

## 110V Lamp(2U)

Php 99.75

**Daylight**

EL 2U-05W-110V
EL 2U-13W-110V




| Model | Voltage | CCT | Watt | Lm | Ave. Life (H) | Pcs/ctn |
|---|---|---|---|---|---|---|
| EL 2U-05W-110V | 110V | 6500K | 5W | 250 | 6000 | 50 |
| EL 2U-13W-110V | 110V | 6500K | 13W | 702 | 6000 | 50 |

## 110V Lamp(3U)

Php 139.75

**Daylight**

EL 3U-18W-110V

| Model | Voltage | CCT | Watt | Lm | Ave. Life (H) | Pcs/ctn |
|---|---|---|---|---|---|---|
| EL 3U-18W-110V | 110V | 6500K | 18W | 1116 | 6000 | 50 |

RoHS SMT PTC EMC



COMPACT FLUORESCENT LAMPS
ENERGY SAVING LAMPS(ESL)

## E14 2U Mini-Lamp

Php 99.75

**Warm white**

E14 2U-03W-WW
E14 2U-05W-WW
E14 2U-07W-WW

**Daylight**

E14 2U-03W-DL
E14 2U-05W-DL
E14 2U-07W-DL




| Model | Voltage | CCT | Watt | Lm | Ave. Life (H) | Pcs/ctn |
|---|---|---|---|---|---|---|
| E14 2U-03W-WW | 230V 60Hz | 2700K | 3W | 156 | 6000 | 50 |
| E14 2U-05W-WW | 230V 60Hz | 2700K | 5W | 285 | 6000 | 50 |
| E14 2U-07W-WW | 230V 60Hz | 2700K | 7W | 378 | 6000 | 50 |
| E14 2U-03W-DL | 230V 60Hz | 6500K | 3W | 171 | 6000 | 50 |
| E14 2U-05W-DL | 230V 60Hz | 6500K | 5W | 245 | 6000 | 50 |
| E14 2U-07W-DL | 230V 60Hz | 6500K | 7W | 322 | 6000 | 50 |

## 2U Mini-Lamp

Php 99.75

**Warm white**

ML 2U-05W-WW
ML 2U-07W-WW

**Daylight**

ML 2U-05W-DL
ML 2U-07W-DL




| Model | Voltage | CCT | Watt | Lm | Ave. Life (H) | Pcs/ctn |
|---|---|---|---|---|---|---|
| ML 2U-05W-WW | 230V 60Hz | 2700K | 5W | 283 | 6000 | 50 |
| ML 2U-07W-WW | 230V 60Hz | 2700K | 7W | 383 | 6000 | 50 |
| ML 2U-05W-DL | 230V 60Hz | 6500K | 5W | 279 | 6000 | 50 |
| ML 2U-07W-DL | 230V 60Hz | 6500K | 7W | 362 | 6000 | 50 |

## 3U Mini-Lamp

Php 139.75

**Warm white**

ML 3U-11W-WW
ML 3U-15W-WW

**Daylight**

ML 3U-11W-DL
ML 3U-15W-DL




| Model | Voltage | CCT | Watt | Lm | Ave. Life (H) | Pcs/ctn |
|---|---|---|---|---|---|---|
| ML 3U-11W-WW | 230V 60Hz | 2700K | 11W | 632 | 6000 | 50 |
| ML 3U-15W-WW | 230V 60Hz | 2700K | 15W | 930 | 6000 | 50 |
| ML 3U-11W-DL | 230V 60Hz | 6500K | 11W | 571 | 6000 | 50 |
| ML 3U-15W-DL | 230V 60Hz | 6500K | 15W | 855 | 6000 | 50 |

ISO 9001 CE RoHS SMT PTC EMC



COMPACT FLUORESCENT LAMPS
ENERGY SAVING LAMPS(ESL)

## 2U ECO Lamp

Php 99.75

**Daylight**

EL 2U-09W-DL
EL 2U-15W-DL




| Model | Voltage | CCT | Watt | Lm | Ave. Life (H) | Pcs/ctn |
|---|---|---|---|---|---|---|
| EL 2U-09W-DL | 230V 60Hz | 6500K | 9W | 513 | 6000 | 50 |
| EL 2U-15W-DL | 230V 60Hz | 6500K | 15W | 930 | 6000 | 50 |

## 3U ECO Lamp

Php 139.75

**Daylight**

EL 3U-16W-DL
EL 3U-22W-DL




| Model | Voltage | CCT | Watt | Lm | Ave. Life (H) | Pcs/ctn |
|---|---|---|---|---|---|---|
| EL 3U-16W-DL | 230V 60Hz | 6500K | 16W | 850 | 6000 | 50 |
| EL 3U-22W-DL | 230V 60Hz | 6500K | 22W | 1317 | 6000 | 50 |

ISO 9001 CE RoHS SMT PTC EMC

## Quad Lamp

**Php 549.75**

### Warm white

EL 4U-55W-WW/E27
EL 4U-55W-WW/E40

### Daylight

EL 4U-55W-DL/E27
EL 4U-55W-DL/E40




| Model | Voltage | CCT | Watt | Lm | Ave. Life (H) | Pcs/ctn |
|---|---|---|---|---|---|---|
| EL 4U-55W-WW/E27 | 230V 60Hz | 2700K | 55W | 3630 | 8000 | 12 |
| EL 4U-55W-WW/E40 | 230V 60Hz | 2700K | 55W | 3740 | 10000 | 12 |
| EL 4U-55W-DL/E27 | 230V 60Hz | 6500K | 55W | 3520 | 8000 | 12 |
| EL 4U-55W-DL/E40 | 230V 60Hz | 6500K | 55W | 3465 | 10000 | 12 |

## 6U Lamp

**Php 1,499.75**

### Daylight

EL 6U-L105W-DL/E27
EL 6U-L105W-DL/E40




| Model | Voltage | CCT | Watt | Lm | Ave. Life (H) | Pcs/ctn |
|---|---|---|---|---|---|---|
| EL 6U-L105W-DL/E27 | 230V 60Hz | 6500K | 105W | 6615 | 10000 | 10 |
| EL 6U-L105W-DL/E40 | 230V 60Hz | 6500K | 105W | 6615 | 10000 | 10 |

ISO 9001 CE RoHS SMT PTC EMC



COMPACT FLUORESCENT LAMPS
ENERGY SAVING LAMPS(ESL)

## Spiral Lamp E14

**Php 134.75**

### Warm white

EMM-09W-WW/E14
EMM-13W-WW/E14

### Daylight

EMM-09W-DL/E14
EMM-13W-DL/E14




| Model | Voltage | CCT | Watt | Lm | Ave. Life (H) | Pcs/ctn |
|---|---|---|---|---|---|---|
| EMM-09W-WW/E14 | 230V 60Hz | 2700K | 9W | 549 | 10000 | 50 |
| EMM-13W-WW/E14 | 230V 60Hz | 2700K | 13W | 858 | 10000 | 50 |
| EMM-09W-DL/E14 | 230V 60Hz | 6500K | 9W | 531 | 10000 | 50 |
| EMM-13W-DL/E14 | 230V 60Hz | 6500K | 13W | 806 | 10000 | 50 |

## Spiral Lamp E27

EMM-09W-WW or DL **Php 134.75**
EMM-13W-WW or DL **Php 134.75**
EMM-23W-WW or DL **Php 199.75**
EMM-30W-WW or DL **Php 349.75**
ESM-42W-WW or DL **Php 499.75**
ESM-65W-WW or DL **Php 799.75**




| Model | Voltage | CCT | Watt | Lm | Ave. Life (H) | Pcs/ctn |
|---|---|---|---|---|---|---|
| EMM-09W-WW | 230V 60Hz | 2700K | 9W | 652 | 10000 | 50 |
| EMM-09W-DL | 230V 60Hz | 6500K | 9W | 604 | 10000 | 50 |
| EMM-13W-WW | 230V 60Hz | 2700K | 13W | 877 | 10000 | 50 |
| EMM-13W-DL | 230V 60Hz | 6500K | 13W | 750 | 10000 | 50 |
| EMM-23W-WW | 230V 60Hz | 2700K | 23W | 1574 | 10000 | 50 |
| EMM-23W-DL | 230V 60Hz | 6500K | 23W | 1454 | 10000 | 50 |
| EMM-30W-WW | 230V 60Hz | 2700K | 30W | 2260 | 10000 | 24 |
| EMM-30W-DL | 230V 60Hz | 6500K | 30W | 1870 | 10000 | 24 |
| ESM-42W-WW | 230V 60Hz | 2700K | 42W | 3017 | 10000 | 20 |
| ESM-42W-DL | 230V 60Hz | 6500K | 42W | 2995 | 10000 | 20 |
| ESM-65W-WW | 230V 60Hz | 2700K | 65W | 4230 | 10000 | 12 |
| ESM-65W-DL | 230V 60Hz | 6500K | 65W | 4030 | 10000 | 12 |

ISO 9001 CE RoHS SMT PTC EMC

## Spiral Lamp
Php 799.75

**Warm white**
ESM-65W-WW/E40

**Daylight**
ESM-65W-DL/E40

| Model | Voltage | CCT | Watt | Lm | Ave. Life (H) | Pcs/ctn |
|---|---|---|---|---|---|---|
| ESM-65W-WW/E40 | 230V 60Hz | 2700K | 65W | 4230 | 10000 | 12 |
| ESM-65W-DL/E40 | 230V 60Hz | 6500K | 65W | 4030 | 10000 | 12 |

## Electronic CFL with Capsule
Php 199.75

**Daylight**
ESL-15W-EA
ESL-20W-EA
ESL-25W-EA




| Model | Voltage | CTT | Watt | Lm | Ave. Life (H) | Pcs/ctn |
|---|---|---|---|---|---|---|
| ESL-15W-EA | 230V 60Hz | 6500K | 15W | 750 | 6000 | 30 |
| ESL-20W-EA | 230V 60Hz | 6500K | 20W | 1120 | 6000 | 30 |
| ESL-25W-EA | 230V 60Hz | 6500K | 25W | 1450 | 6000 | 30 |

ISO 9001 CE RoHS SMT PTC EMC



COMPACT FLUORESCENT LAMPS
ENERGY SAVING LAMPS(ESL)

## Candle Bulb
Php 169.75

**Warm white**
ECF-07W-WW

**Daylight**
ECF-07W-DL

| Model | Voltage | CTT | Watt | Lm | Ave. Life (H) | Pcs/ctn |
|---|---|---|---|---|---|---|
| ECF-07W-WW | 230V 60Hz | 2700K | 7W | 449 | 6000 | 50 |
| ECF-07W-DL | 230V 60Hz | 6500K | 7W | 389 | 6000 | 50 |

## Torpedo Bulb
Php 169.75

**Warm white**
ETF-07W-WW

**Daylight**
ETF-07W-DL

| Model | Voltage | CTT | Watt | Lm | Ave. Life (H) | Pcs/ctn |
|---|---|---|---|---|---|---|
| ETF-07W-WW | 230V 60Hz | 2700K | 7W | 436 | 6000 | 50 |
| ETF-07W-DL | 230V 60Hz | 6500K | 7W | 393 | 6000 | 50 |

## Mini Global Lamp

Php 199.75

### Warm white

MG09W-WW-E14
MG09W-WW-E27

### Daylight

MG09W-DL-E14
MG09W-DL-E27




| Model | Voltage | CTT | Watt | Lm | Ave. Life (H) | Pcs/ctn |
|---|---|---|---|---|---|---|
| MG09W-WW-E14 | 230V 60Hz | 2700K | 9W | 468 | 6000 | 50 |
| MG09W-WW-E27 | 230V 60Hz | 2700K | 9W | 506 | 6000 | 50 |
| MG09W-DL-E14 | 230V 60Hz | 6500K | 9W | 477 | 6000 | 50 |
| MG09W-DL-E27 | 230V 60Hz | 6500K | 9W | 419 | 6000 | 50 |




## Global Lamp

### Daylight

ELG-15W-DL Php 219.75
ELG-20W-DL Php 249.75
ELG-25W-DL Php 269.75




| Model | Voltage | CTT | Watt | Lm | Ave. Life(H) | Pcs/ctn |
|---|---|---|---|---|---|---|
| ELG-15W-DL | 230V 60Hz | 6500K | 15W | 810 | 6000 | 20 |
| ELG-20W-DL | 230V 60Hz | 6500K | 20W | 1160 | 6000 | 20 |
| ELG-25W-DL | 230V 60Hz | 6500K | 25W | 1525 | 6000 | 20 |

ISO 9001 CE RoHS SMT PTC EMC

## T5 Straight Fluorescent Tubes

FL-08W T5WW or CW or DL Php 59.75
FL-14W T5WW or CW or DL Php 89.75
FL-21W T5WW or CW or DL Php 99.75
FL-28W T5WW or CW or DL Php 109.75

| Model | CTT | Watt | Lm | Ave. Life (H) | Pcs/ctn |
|---|---|---|---|---|---|
| FL-08W T5WW | 2700K | 8W | 440 | 7000 | 100 |
| FL-14W T5WW | 2700K | 14W | 1140 | 12000 | 100 |
| FL-21W T5WW | 2700K | 21W | 1850 | 12000 | 100 |
| FL-28W T5WW | 2700K | 28W | 2470 | 12000 | 100 |
| FL-08W T5CW | 4000K | 8W | 440 | 7000 | 100 |
| FL-14W T5CW | 4000K | 14W | 1140 | 12000 | 100 |
| FL-21W T5CW | 4000K | 21W | 1850 | 12000 | 100 |
| FL-28W T5CW | 4000K | 28W | 2470 | 12000 | 100 |
| FL-08W T5DL | 6500K | 8W | 400 | 7000 | 100 |
| FL-14W T5DL | 6500K | 14W | 1045 | 12000 | 100 |
| FL-21W T5DL | 6500K | 21W | 1660 | 12000 | 100 |
| FL-28W T5DL | 6500K | 28W | 2350 | 12000 | 100 |

## T5 Fluorescent Tubes

| Red | Blue | Green | Yellow |
|---|---|---|---|
| FL-21W-T5R | FL-21W-T5B | FL-21W-T5G | FL-21W-T5Y |
| FL-28W-T5R | FL-28W-T5B | FL-28W-T5G | FL-28W-T5Y |



ISO 9001 CE RoHS

## T5 Straight Mini-Fluorescent Tubes

Php 29.75

### Daylight

MFL-04W T5DL
MFL-06W T5DL

| Model | CTT | Watt | Pcs/box | Pcs/ctn |
|---|---|---|---|---|
| MFL-04W T5DL | 6500K | 4W | 10 | 240 |
| MFL-06W T5DL | 6500K | 6W | 10 | 240 |



## T8 Straight Fluorescent Tubes

### Warm white

FL-18W T8WW Php 44.75
FL-36W T8WW Php 49.75

### Daylight

FL-10W T8DL Php 34.75
FL-15W T8DL Php 44.75
FL-18W T8DL Php 44.75
FL-36W T8DL Php 49.75

| Model | CTT | Watt | Ave. Life (H) | Pcs/ctn |
|---|---|---|---|---|
| FL-18W T8WW | 2700K | 18W | 10000 | 25 |
| FL-36W T8WW | 2700K | 36W | 12000 | 25 |
| FL-10W T8DL | 6500K | 10W | 8000 | 25 |
| FL-15W T8DL | 6500K | 15W | 10000 | 25 |
| FL-18W T8DL | 6500K | 18W | 10000 | 25 |
| FL-36W T8DL | 6500K | 36W | 12000 | 25 |

## T10 Straight Fluorescent Tubes

### Daylight

FL-20W T10DL Php 44.75
FL-30W T10DL Php 54.75
FL-40W T10DL Php 54.75

| Model | CTT | Watt | Ave. Life (H) | Pcs/ctn |
|---|---|---|---|---|
| FL-20W T10DL | 6500K | 20W | 10000 | 25 |
| FL-30W T10DL | 6500K | 30W | 10000 | 25 |
| FL-40W T10DL | 6500K | 40W | 10000 | 25 |

ISO 9001 CE RoHS



FLUORESCENT LAMPS

## T12 Straight Fluorescent Tubes

### Daylight

FL-20W T12DL Php 49.75
FL-40W T12DL Php 59.75

| Model | CTT | Watt | Ave. Life (H) | Pcs/ctn |
|---|---|---|---|---|
| FL-20W T12DL | 6500K | 20W | 10000 | 25 |
| FL-40W T12DL | 6500K | 40W | 10000 | 25 |

## Circular Fluorescent Lamps

### Daylight

FCL-22W-DL Php 89.75
FCL-32W-DL Php 99.75

| Model | CTT | Watt | Ave. Life (H) | Pcs/ctn |
|---|---|---|---|---|
| FCL-22W-DL | 6500K | 22W | 10000 | 20 |
| FCL-32W-DL | 6500K | 32W | 10000 | 20 |

## Electronic Circular Lampset

ECS-22W Php 279.75
ECS-32W Php 299.75

| Model | CTT | Watt | Ave. Life (H) | Pcs/ctn |
|---|---|---|---|---|
| ECS-22W | 6500K | 22W | 10000 | 12 |
| ECS-32W | 6500K | 32W | 10000 | 12 |

## Compact Fluorescent Kit

CFK-22W Php 229.75
CFK-32W Php 259.75

| Model | CTT | Watt | Ave. Life (H) | Pcs/ctn |
|---|---|---|---|---|
| CFK-22W | 6500K | 22W | 8000 | 24 |
| CFK-32W | 6500K | 32W | 8000 | 24 |

# FLUORESCENT LAMPS

## T5 FLUORESCENT LIGHTING FIXTURE

**8W; 310mm**
T5LF-8W-DL
T5LF-8W-CW
T5LF-8W-WW
**Php 199.75** (20pcs.ctn)

**14W; 571mm**
T5LF-14W-DL
T5LF-14W-CW
T5LF-14W-WW
**Php 249.75** (20pcs.ctn)

**21W; 871mm**
T5LF-21W-DL
T5LF-21W-CW
T5LF-21W-WW
**Php 299.75** (20pcs.ctn)

**28W; 1171mm**
T5LF-28W-DL
T5LF-28W-CW
T5LF-28W-WW
**Php 349.75** (20pcs.ctn)

## T5 ULTRA SLIM MAINTENANCE FREE

**8W; 295mm**
T5MF-8W-DL
T5MF-8W-CW
T5MF-8W-WW
**Php 199.75** (20pcs.ctn)

**14W; 556mm**
T5MF-14W-DL
T5MF-14W-CW
T5MF-14W-WW
**Php 249.75** (20pcs.ctn)

**21W; 856mm**
T5MF-21W-DL
T5MF-21W-CW
T5MF-21W-WW
**Php 299.75** (20pcs.ctn)

**28W; 1156mm**
T5MF-28W-DL
T5MF-28W-CW
T5MF-28W-WW
**Php 349.75** (20pcs.ctn)

ISO 9001 CE RoHS



OMNI electrical & lighting

# T5 Fluorescent Lighting Fixtures

Do you want to SAVE P360,000 in a year?

or how about protecting the environment?

| | Fluorescent Tube | OMNI T5 |
|---|---|---|
| Light Output | 2200lm | 2250lm |
| Power Consumption | 36 | 28 |
| System Wattage | 48 | 28 |
| Energy Consumption | .048 | .028 |
| Cost at P10/kwh | .48 | .28 |
| No. of Fixtures | 500 | 500 |
| Total cost per hour | ₱240 | ₱140 |
| 12hrs./day for 300 days | ₱864,000 | ₱504,000 |

**SAVINGS: ₱360,000**

OMNI electrical & lighting

# FL Reducer Super Bright

**14W; 571mm**
T5 FLRS-14W-DL
T5 FLRS-14W-CW
T5 FLRS-14W-WW
**Php 249.75** (20pcs/ctn)

**28W; 1171mm**
T5 FLRS-28W-DL
T5 FLRS-28W-CW
T5 FLRS-28W-WW
**Php 349.75** (20pcs/ctn)

## SPECIAL FEATURES:

- Longer lamp life compared to T12,T10,T8 magnetic ballast fluorescent lamp set; T5 has an average lamp life of 15,000 hours
- Savings on electricity consumption of up to 50% compared to T10/ T12 fluorescent lamp
- 20% more light output
- Uses high quality triphosphor powder for enhanced color retention
- Equipped with high quality electronic ballast
- Stable light output, comfortable light brightness and minimizes uneven reflections
- Rust Free

**Three easy steps to convert T8 to T5 fluorescent lamp:**

1.Remove the T8 fluorescent lamp from your existing lighting fixture

2.Remove the starter from your existing lighting fixture (retain the magnetic ballast).

3.Install OMNI FL-Reducer into your existing lighting fixture.



# ENERGY SAVING LAMPS

OMNI

ESP38

ESP30

## CFL-ECO PAR

**ECO-PAR 30**
**15W; E27 Base**
**Php 499.75** (24pcs/ctn)

ESP30- 15W/C- Coolwhite
ESP30- 15W/D- Daylight
ESP30-15W/W- Warm White
ESP30- 15W/B- Blue
ESP30- 15W/G- Green
ESP30- 15W/R- Red
ESP30- 15W/Y- Yellow

**ECO-PAR 38**
**23W; E27 Base**
**Php 599.75** (24pcs/ctn)

ESP38- 23W/C- Cool white
ESP38- 23W/D- Daylight
ESP38- 23W/ W- Warm White
ESP38- 23W/B- Blue
ESP38- 23W/G- Green
ESP38- 23W/R- Red
ESP38- 23W/Y- Yellow

## Refrigerator Bulb-Clear

**Php 19.75** (1pc/pk)

| | | |
|---|---|---|
| CRF-10W/E12 | E12 Base | (300pks/ctn) |
| CRF-10W/E14 | E14 Base | (300pks/ctn) |
| CRF-10W/E27 | E27 Base | (250pks/ctn) |

## Refrigerator Bulb-Clear

**Php 29.75** (2pcs/pk; 250pks/ctn)

| | |
|---|---|
| CRF-10W/E12D | E12 Base |
| CRF-10W/E14D | E14 Base |

## Colored Mini-Candle Bulb E12; 5 Watts

**Php 6.75** (25pcs/box; 1000pcs/ctn)

| | |
|---|---|
| CMC-05W | Clear |
| CMY-05W | Yellow |
| CMR-05W | Red |
| CMB-05W | Blue |
| CMG-05W | Green |

## Colored Mini-Candle Bulb E12; 5 Watts

**Php 34.75** (4pcs/pk)

| | |
|---|---|
| CMC-05W-PK | Clear |
| CMY-05W-PK | Yellow |
| CMR-05W-PK | Red |
| CMB-05W-PK | Blue |
| CMG-05W-PK | Green |



INCANDESCENT BULBS

## Colored Round Bulb E27; 10 Watts

**Php 11.75** (10pcs/box; 200pcs/ctn)

| | | | |
|---|---|---|---|
| CRC-10W | (Clear) | CRB-10W | (Blue) |
| CRY-10W | (Yellow) | CRG-10W | (Green) |
| CRR-10W | (Red) | | |

## Colored Round Bulb E27; 10 Watts

**Php 29.75** (2pcs/pk)

| | | | |
|---|---|---|---|
| CRC-10W-PK | (Clear) | CRB-10W-PK | (Blue) |
| CRY-10W-PK | (Yellow) | CRG-10W-PK | (Green) |
| CRR-10W-PK | (Red) | | |

## Incandescent Round Bulb E14

**Php 14.75** (10pcs/box; 200pcs/ctn)

| Clear | | Frosted | |
|---|---|---|---|
| RC25/E14 | 25W | RF25/E14 | 25W |
| RC40/E14 | 40W | RF40/E14 | 40W |

## Incandescent Round Bulb E14

**Php 34.75** (2pcs/pk)

| Clear | | Frosted | |
|---|---|---|---|
| RC25/E14-PK | 25W | RF25/E14-PK | 25W |
| RC40/E14-PK | 40W | RF40/E14-PK | 40W |

INCANDESCENT BULBS

## Incandescent Round Bulb E27

**Php 14.75** (10pcs/box; 200pcs/ctn)

| Clear | | Frosted | |
|---|---|---|---|
| RC25/E27 | 25W | RF25/E27 | 25W |
| RC40/E27 | 40W | RF40/E27 | 40W |

## Incandescent Round Bulb E27

**Php 34.75** (2pcs/pk)

| Clear | | Frosted | |
|---|---|---|---|
| RC25/E27-PK | 25W | RF25/E27-PK | 25W |
| RC40/E27-PK | 40W | RF40/E27-PK | 40W |

## Chandelier Torpedo Bulb E27

**Php 14.75** (10pcs/box; 200pcs/pk)

| Clear | | Frosted | |
|---|---|---|---|
| TC25/E27 | 25W | TF25/E27 | 25W |
| TC40/E27 | 40W | TF40/E27 | 40W |

## Chandelier Torpedo Bulb E27

**Php 34.75** (2pcs/pk)

| Clear | | Frosted | |
|---|---|---|---|
| TC25/E27-PK | 25W | TF25/E27-PK | 25W |
| TC40/E27-PK | 40W | TF40/E27-PK | 40W |

## Chandelier Candle Bulb E14

**Php 14.75** (10pcs/box; 200pcs/ctn)

| Clear | | Frosted | |
|---|---|---|---|
| CC25/E14 | 25W | CF25/E14 | 25W |
| CC40/E14 | 40W | CF40/E14 | 40W |

## Chandelier Candle Bulb E14

**Php 34.75** (2pcs/pk)

| Clear | | Frosted | |
|---|---|---|---|
| CC25/E14-PK | 25W | CF25/E14-PK | 25W |
| CC40/E14-PK | 40W | CF40/E14-PK | 40W |

## Dichroic Halogen Bulb

(10pcs/box; 200pcs/ctn)

**12V**

| | | |
|---|---|---|
| MR16-BAB | 20W | **Php 49.75** |
| MR16-EXN | 50W | **Php 49.75** |

**220V**

| | | |
|---|---|---|
| MRD-35W | 35W | **Php 59.75** |
| MRS-50W | 50W | **Php 59.75** |

## Ordinary GLS Bulb

| | |
|---|---|
| CGF-010W | 10W |
| CGF-025W | 25W |
| CGF-050W | 50W |
| CGF-100W | 100W |

**Php 15.75** (10pcs/box; 100pcs/ctn)

CGF-200W 200W
**Php 54.75** (50pcs/ctn)

## Par 38 Lamp (Flood)
**Php 189.75** (12pcs/ctn)

PAR38-F120C 120W Clear

## Par 38 Colored Lamp (Flood)
**Php 249.75** (12pcs/ctn)

PAR38-F80Y 80W Yellow
PAR38-F80R 80W Red
PAR38-F80B 80W Blue
PAR38-F80G 80W Green

## Insect Killer Bulbs
**Php 69.75** (100pks/ctn)

IKB-25W-E27 230V
Ultraviolet Lamp
For replacement of bulb in electronic bug killers; E27 Base

## SU4P Pinlight
**Php 94.75** (20pks/ctn)

SU4P-7W-PK
SU4P-9W-PK

## Blended Mercury Bulbs E27
HWL-160W/E27
**Php 119.75** (30pcs/ctn)

HWL-250W/E27
**Php 169.75** (24pcs/ctn)

## Blended Mercury Bulbs E40
HWL-250W/E40
**Php 169.75** (24pcs/ctn)

HWL-500W/E40
**Php 389.75** (12pcs/ctn)

## Insect Killer Tube (T8)
(25pks/ctn)

IKT-10W-T8 **Php 69.75**
IKT-15W-T8 **Php 99.75**
IKT-20W-T8 **Php 99.75**
Replacement tube for electronic bug killers

## Halogen Spot Lamp
**Php 119.75** (1set/pk; 80sets/ctn)

A14S-50W E14
A27S-50W E27
Each pack includes
1JC Adaptor & 1 Halogen Bulb 50W

## Dimmable Electronic Transformer

**Php 199.75** (40pcs/ctn)

DET-60W

## Rechargeable Battery

**Php 249.75** (5pcs/pk; 48sets/ctn)

BNH-3A/500
Ni-Mh 500mAh 1.2V

## Rechargeable Battery

**Without Blister**
SRB-6V4
6V 4Ah
**Php 349.75** (20pcs/ctn)

**In Blister Pack**
SRB-6V4-PK
6V 4Ah
**Php 369.75**

## Rechargeable Battery

**Php 999.75** (8pcs/ctn)

SRB-12V/7.5Ah
12V 7.5Ah



OMNI
electrical & lighting

# Automatic Voltage Regulator

**AVR-500**
**Php 2,499.75** (4pcs/ctn)

**AVR-1000**
**Php 3,299.75** (4pcs/ctn)

**AVR-1500**
**Php 3,999.75** (2pcs/ctn)

## FEATURES:

- Protects electric devices from sudden voltage surge
- With Servo-motor control system
- Overloading protection system and indicator
- Equipped with fuse for added protection
- Multiple universal outlets
- Equipped with fan blower
- With input and output meter
- Guarantees voltage regulation in 1 sec.

**DNL-121-PK**
**Php 109.75** (120pks/ctn)
Optical LED Night Light
with Built-in Light Sensor
0.5W 110-220V; Clear

**DNL-122-PK**
**Php 109.75** (120pks/ctn)
Optical LED Night Light
with Built-in Light Sensor
0.5W 110-220V; Clear

**DNL-123-PK**
**Php 109.75** (120pks/ctn)
Optical LED Night Light
with Built-in Light Sensor
0.5W 110-220V; Clear

**DNL-221-PK**
**Php 109.75** (120pks/ctn)
Optical LED Night Light
with Built-in Light Sensor
0.5W 110-220V; Clear

**DNL-327-PK**
**Php 109.75** (120pks/ctn)
Optical LED Night Light
with Built-in Light Sensor
0.5W 110-220V; Multicolor

**DNL-360-PK**
**Php 129.75** (60pks/ctn)
Optical LED Night Light
with Built-in Light Sensor
0.5W 110-220V; Clear



**KNL-501-PK-Y**
**Php 109.75** (60pks/ctn)
Colored LED Night Light
0.5W 110-220V; Yellow

**KNL-501-PK-W**
**Php 109.75** (60pks/ctn)
Colored LED Night Light
0.5W 110-220V; White

**KNL-501-PK-U**
**Php 109.75** (60pks/ctn)
Colored LED Night Light
0.5W 110-220V; Blue

**KNL-501-PK-N**
**Php 109.75** (60pks/ctn)
Colored LED Night Light
0.5W 110-220V; Green

**KNL-501-PK-R**
**Php 109.75** (60pks/ctn)
Colored LED Night Light
0.5W 110-220V; Red

TABLE LAMPS

## MDF016-9W
**Php 249.75** (20pcs/ctn)

Lamp: SU Pinlight, 9 watts
Bulb: 9W
Coors: Blue, Black, Gray,
Yellow & White

## MZT-002-7W
**Php 249.75** (20pcs/ctn)

Lamp: SU Pinlight, 7 watts
Bulb: 7W
Colors: Green, Blue, Pink & Yellow

## GX2002-11W
**Php 599.75** (8pcs/ctn)

Lamp: SU Pinlight, 11 watts
(Omni model SU-11W-DL)
Colors: Blue, Green, Pink & Gray

## DLS008-9W
**Php 349.75** (10pcs/ctn)

Lamp: SU Pinlight, 9 watts
Bulb:  9W
Colors: Green, Red, Grey & Black

## WXT002-9W
**Php 349.75** (20pcs/ctn)

Lamp: SU Pinlight, 9 watts
Bulb: 9W
Colors: Blue, Green & Black

## GXH031
**Php 249.75** (12pcs/ctn)

Lamp: Any E27 bulb, 60 watts (max.)
Colors: Blue, Red, Black & Silver

## GX2020-15W
**Php 999.75** (10pcs/ctn)

Lamp: CFL, 15W
(Omni model EL2U-15W-DL)
Colors: Blue, Black

## GX2010-15W
**Php 1,299.75** (6pcs/ctn)

Lamp: CFL, 15 watts
(Omni model EL2U-15W-DL)
Colors: Blue & Black

# RECHARGEABLE LAMPS

# RECHARGEABLE LED LAMPS

## AEL-2209
**Php 1,099.75** (6pcs/ctn)

**Light source:** Pinlight 9W
(OMNI Model SU4P-9W)
**Battery:** 6V 4Ah
**Charging time:** 20-24hrs.
**Performance time (at full charge):**
3hrs. for lamp and fan
6hrs. for lamp or fan

## BLT-288-PK
**Php 999.75** (12pks/box; 48pks/ctn)

**Light source:** 15pcs. LED
**Battery:** 5 rechargeable batteries NiMH
**Features:**
• Works as portable emergency light
• AAA Battery charger
• Mobile phone charger
• With charging indicators

## AEL-119/Y (Yellow)
## AEL-119/W (White)
**Php 499.75** (24pcs/ctn)

**Light source:** 19pcs. LED
**Battery:** 4V 1.4Ah
**Charging time):** 10-15hrs.
**Performance time (at full charge):**
20-24hrs. for 1pc. super bright 8mm LED
7-9hrs. for 18pcs. 5mm LED + 1pc. 18mm LED

## AEL-416
**Php 299.75** (24pcs/ctn)

**Light source:** 20pcs. LED
**Battery:** 4V 1Ah
**Charging time:** 20-24hrs.
**Performance time (at full charge):**
20hrs. for the upper 4pcs. LED bulbs
6hrs. for the lower 16pcs. LED bulbs

## AEL-1009
**Php 699.75** (12pcs/ctn)

Automatic Operation
**Light source:** Pinlight 9W
(OMNI Model SU4P-9W)
**Battery:** 6V 4Ah
**Charging time:** 16-20hrs.
**Performance time (at full charge):** 4-5hrs.

## AEL-2009
**Php 899.75** (10pcs/ctn)

Automatic Operation
**Light source:** Pinlight 9W
(OMNI Model SU4P-9W)
**Battery:** 6V 4Ah
**Charging time:** 16-20hrs.
**Performance time (at full charge):** 5-8hrs.

*To prolong the battery life, discharge the battery at least once every three months and charge it for 24hrs.
*Do not leave the battery discharged for prolonged period of time.

## AEL-2207
**Php 799.75** (12pcs/ctn)

**Light source:** Pinlight 7W
(OMNI Model SU4P-7W & LED)
**Battery:** 6V 4Ah
**Charging time:** 16-20hrs.
**Performance time (at full charge):**
150hrs. for the upper LED bulbs
5-7hrs. for the lower Pinlight bulb

## AEL-436D/U (Blue)
## AEL-436D/Y (Yellow)
**Php 799.75** (12pcs/ctn)

**Light source:** 40pcs. LED
**Battery:** 6V 4Ah
**Charging time:** 20-24hrs.
**Performance time (at full charge):**
40hrs. for the upper 4pcs. LED Torch
120hrs. for the lower 36pcs. LED Lamp

*To prolong the battery life, discharge the battery at least once every three months and charge it for 24hrs.
*Do not leave the battery discharged for prolonged period of time.

## RFL-113-PK

**Php 699.75** (12pcs/ctn)

**Light Source:** 13pcs. LED
**Battery:** 3 x 1.2 AA
**Charging Voltage:** AC 220V
**Charging Time:** 5hrs.
**Performance Time:**
24hrs. for the Torch 4pcs. LED
5hrs. for the Lamp 10pcs. LED
60hrs. for the Blinker 1pc. LED

### ACCESORIES

Rechargeable Batteries

Charger

Car Charger

Wrist Strap

## AEL-8032

**Php 1,399.75** (5pcs/ctn)

Automatic Operation
**Light source:** 2pcs. x 6W
**Battery:** 6V 4Ah
**Charging time:** 20hrs.
**Performance time (at full charge):**
6hrs. for 1 bulb
3hrs. for 2 bulbs

## AEL-9032/12V

**Php 2,199.75** (4pcs/ctn)

Automatic Heavy Duty Operation
**Light source:** 2pcs. x 10W Halogen
**Battery:** 12V 7.5Ah
**Charging time:** 20hrs.
**Performance time (at full charge):**
8hrs. for 1 bulb
4hrs. for 2 bulbs

## AEL-1038

**Php 1,099.75** (5pcs/ctn)

Automatic Operation
**Light source:** 2pcs. x 6W
**Battery:** 6V 4Ah
**Charging time:** 20hrs.
**Performance time (at full charge):**
6hrs. for 1 bulb
3hrs. for 2 bulbs

## AEL-2038

**Php 1,099.75** (5pcs/ctn)

Automatic Operation
**Light source:** 2pcs. x 6W
**Battery:** 6V 4Ah
**Charging time:** 20hrs.
**Performance time (at full charge):** 3hrs.

*To prolong the battery life, discharge the battery at least once every three months and charge it for 24hrs.
*Do not leave the battery discharged for prolonged period of time.

## AEL-7032

**Php 1,399.75** (4pcs/ctn)

Automatic Operation
**Light source:** 2pcs. x 6W
**Battery:** 6V 4Ah
**Charging time:** 20hrs.
**Performance time (at full charge):**
6hrs. for 1 bulb
3hrs. for 2 bulbs

## AEL-290

UL No. E315865
**Php 1,899.75** (6pcs/ctn)

Automatic Operation
**Light source:** 2pcs. x 5W
**Battery:** 6V 4Ah
**Charging time:** 20hrs.
**Performance time (at full charge):** 90mins.

*To prolong the battery life, discharge the battery at least once every three months and charge it for 24hrs.
*Do not leave the battery discharged for prolonged period of time.

OMNI electrical & lighting

# Automatic Emergency Lights

## FEATURES:

- Automatic and rechargeable lamps available
- Equipped with overcharging protection
- Fuse protected
- Different designs available for domestic and commercial use

# LED EXIT LIGHTS

OMNI

**LED/X-101**
Green, Single-face
Php 799.75 (6pcs/ctn)

**LED/X-102**
Green, Double-face
Php 899.75 (6pcs/ctn)

## FEATURES:

Aluminum Housing

Ceiling Mounted

Wall Mounted

Rechargeable Batteries



Long-lasting LED bulbs

Low Power Consumption (2W)

**LED/X-202/R**
Red, Single-face/ Double-face
Php 1,499.75 (6pcs/ctn)

**LED/X-202/N**
Green, Single-face/ Double-face
Php 1,999.75 (6pcs/ctn)

## FEATURES:

Thermoplastic Housing

Ceiling Mounted

Wall Mounted

Rechargeable Batteries



Long-lasting LED bulbs

Low Power Consumption (2W)